

Морские ледогенераторы MMAR

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: mex@nt-rt.ru || сайт: <https://maxx-ice.nt-rt.ru/>



Maxx Ice Compact Marine Ice Machine/Boat and RV Ice Maker, 25 lbs, in Stainless Steel (MMAR25S)

Enjoy your favorite ice-cold beverage on your next adventure with the Maxx Ice MMAR25S Compact Marine Ice Machine/Boat and RV Ice Maker. This ice machine for marine use is perfect for boats, yachts and docks, and can also be used in RVs and campers. Whether sailing, camping or driving cross country, you can always have fresh ice cubes on hand with this portable ice maker. This ice machine produces up to 25 pounds of long, crescent-shaped ice cubes daily. The refrigerated storage compartment inhibits ice melt, and the storage bin can hold up to 12 pounds of ice. Ideal for tight spaces, this compact ice maker is suitable for freestanding or built-in installation and includes a removable flange. The stainless steel exterior is easy to clean, corrosion-resistant and designed to match the marine interior. It automatically shuts off when the storage bin is full. The travel latch keeps the door closed during sea travel. The door prop lets you air-dry the inside of the unit when powered off. Set sail or hit the road knowing you will always have refreshing ice cubes with the Maxx Ice Compact Marine Ice Machine/Boat and RV Ice Maker.

- Produces up to 25 pounds of long, crescent-shaped ice cubes daily
- Built for marine applications including boats, yachts and docks
- Suitable for freestanding or built-in installation
- Compact unit can easily be installed in tight, small areas
- Stores up to 12 pounds of ice
- Stainless steel exterior is easy to clean, corrosion-resistant and designed to match marine interior
- Air-cooled compressor
- Automatic shut-off when storage bin is full
- Refrigerated storage compartment inhibits ice melt
- Travel latch to keep door closed during sea travel



COMPACT MARINE ICE MACHINES

MODEL: MMAR25S MMAR25W MMAR25B



Compact Marine Ice Machines produce up to 25 pounds of ice daily. Marine units produce individual, long crescent shaped ice cubes and are available in stainless steel, white or black finishes. Built for marine applications, the MMAR25 is suitable for free-standing or built-in installation. Ice machines is supplied with a removable flange. No drain connection is necessary allowing for easy installation .

FEATURES AND CONSTRUCTION

- Available in 3 exterior finishes to match marine interior:
 - Stainless steel exterior (MMAR25S)
 - White painted steel exterior (MMAR25W)
 - Black painted steel exterior (MMAR25B)
- Air-cooled compressor
- Automatic overflow prevention
- Travel latch to keep door closed during sea travel
- Door prop for air-drying inside of unit when powered off
- Includes removable flange for built-in installation
- 12 lbs ice storage bin

DAILY ICE PRODUCTION

Air Temp 70°F (21°C) / Water Temp 50°F (10°C)	
MMAR25S/W/B	25.1 lbs (11.4 kg)
Air Temp 90°F (32°C) / Water Temp 70°F (21°C)	
MMAR25S/W/B	12.9 lbs (5.9 kg)

ICE BIN STORAGE CAPACITY


MMAR25S/W/B	12 lbs (5.4 kg)
-------------------	-----------------

OPERATING REQUIREMENTS

Ambient Air Temperature Range.....	50° to 100°F (10° to 38°C)		
Water Temperature Range	41° to 90°F (5° to 32°C)		
Water Usage per 25 lbs of ice.....	<3 Gallons (11.4L)		
Water Supply Line Connection	1/4" OD Tube		
Water Pressure Range:			
Min PSI.....	20	Max PSI	120
Min Bar	1.0	Max Bar	5.5
Energy Consumption per 100 lbs of ice:			
MMAR25S/W/B	<25 kWh/100 lbs		

ELECTRIC

120V / 60Hz / 1Ph
International voltage available
6' (2m) NEMA 5-15P cord set included



NEMA 5-15P

3RD PARTY APPROVALS




Certified to ANSI NSF 12




Certified to ANSI UL 563






LONG CRESCENT CUBE (ACTUAL SIZE)



MODEL	EXTERNAL DIMENSIONS	DAILY ICE PRODUCTION (70°F Air / 50°F Water)	ICE BIN STORAGE CAPACITY	NET WEIGHT / SHIPPING WEIGHT	AMP DRAW (MAKING / HARVESTING)	REFRIGERANT AND CHARGE SIZE	ELECTRICAL
MMAR25S	14" x 17.2" x 24.5" (356 x 438 x 622 mm)	25.1 lbs (11.4 kg)	12 lbs (5.4 kg)	51 lbs (23 kg) 60 lbs (27 kg)	1.8A / 1.5A	R-134a 1.98oz (56g)	115V / 60Hz / 1Ph
MMAR25W	14" x 17.2" x 24.5" (356 x 438 x 622 mm)	25.1 lbs (11.4 kg)	12 lbs (5.4 kg)	51 lbs (23 kg) 60 lbs (27 kg)	1.8A / 1.5A	R-134a 1.98oz (56g)	115V / 60Hz / 1Ph
MMAR25B	14" x 17.2" x 24.5" (356 x 438 x 622 mm)	25.1 lbs (11.4 kg)	12 lbs (5.4 kg)	51 lbs (23 kg) 60 lbs (27 kg)	1.8A / 1.5A	R-134a 1.98oz (56g)	115V / 60Hz / 1Ph

INSTALLATION

- A clearance of 2" from the wall is recommended to promote adequate cooling air circulation
- Minimum cutout size for undercounter installation: 15" x 24.75"
- For optimal performance, the use of a water filter is recommended




MMARFTCFLG-B Flange Kit for Flush to Cabinet

Flange Kit for Marine Ice Machine

- Available in black, white and stainless gray color
- Enables ice machine to mount flush with cabinetry
- Available in black, white and stainless gray color
- Enables ice machine to mount flush with cabinetry





MMARFTCFLG-S Flange Kit for Flush to Cabinet


Flange Kit for Marine Ice Machine

- Available in black, white and stainless gray color
- Enables ice machine to mount flush with cabinetry

Flange Kit for Marine Ice Machine

- Available in black, white and stainless gray color
- Enables ice machine to mount flush with cabinetry





MMARFTCFLG-W Flange Kit for Flush to Cabinet

Flange Kit for Marine Ice Machine

- Available in black, white and stainless gray color
- Enables ice machine to mount flush with cabinetry

Flange Kit for Marine Ice Machine

- Available in black, white and stainless gray color
- Enables ice machine to mount flush with cabinetry





MMARFTDFLG-B Flange Kit for Flush to Door

Flange Kit for Marine Ice Machine Door

- Available in black, white and stainless gray color
- Enables ice machine to mount flush with door

Flange Kit for Marine Ice Machine

- Available in black, white and stainless gray color
- Enables ice machine to mount flush with cabinetry





MMARFTDFLG-S Flange Kit for Flush to Door

Flange Kit for Marine Ice Machine Door

- Available in black, white and stainless gray color
- Enables ice machine to mount flush with door

Flange Kit for Marine Ice Machine

- Available in black, white and stainless gray color
- Enables ice machine to mount flush with cabinetry





MMARFTDFLG-W Flange Kit for Flush to Door

Flange Kit for Marine Ice Machine Door

- Available in black, white and stainless gray color
- Enables ice machine to mount flush with door

Flange Kit for Marine Ice Machine

- Available in black, white and stainless gray color
- Enables ice machine to mount flush with cabinetry



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: mex@nt-rt.ru || сайт: <https://maxx-ice.nt-rt.ru/>